



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: Not classified		A2	(11) International Publication Number: WO 88/09604 (43) International Publication Date: 15 December 1988 (15.12.88)
(21) International Application Number: PCT/US88/01837 (22) International Filing Date: 6 June 1988 (06.06.88) (31) Priority Application Number: 058,339 (32) Priority Date: 5 June 1987 (05.06.87) (33) Priority Country: US		(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent). Published <i>With declaration under Article 17(2)(a). Without classification and without abstract; title not checked by the International Searching Authority.</i>	
(71) Applicant: MEDICIS CORPORATION [US/US]; 1747 Pennsylvania Ave., N.W., Washington, DC 20006 (US). (72) Inventor: FADEN, Alan, I. ; 406 Wendy Way, Mill Valley, CA 94941 (US). (74) Agents: WEGNER, Harold, C. et al.; Wegner & Bretschneider, P.O. Box 18218, Washington, DC 20036-8218 (US).			
(54) Title: THYROTROPIN-RELEASING HORMONE ANALOGS IN CNS INJURY			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT Austria	FR France	ML Mali
AU Australia	GA Gabon	MR Mauritania
BB Barbados	GB United Kingdom	MW Malawi
BE Belgium	HU Hungary	NL Netherlands
BG Bulgaria	IT Italy	NO Norway
BJ Benin	JP Japan	RO Romania
BR Brazil	KP Democratic People's Republic of Korea	SD Sudan
CF Central African Republic	KR Republic of Korea	SE Sweden
CG Congo	LI Liechtenstein	SN Senegal
CH Switzerland	LK Sri Lanka	SU Soviet Union
CM Cameroon	LU Luxembourg	TD Chad
DE Germany, Federal Republic of	MC Monaco	TG Togo
DK Denmark	MG Madagascar	US United States of America
FI Finland		

THYROTROPIN-RELEASING HORMONE ANALOGS IN CNS INJURYBACKGROUND OF THE INVENTION

Thyrotropin-releasing hormone (TRH), L-pyroglutamyl-L-histidyl-L-prolineamide, has been found in the spinal cord and has been found to have a variety of effects on the central nervous system. For example, TRH has potent excitatory effects in the spinal cord, thereby increasing neuronal activity and enhancing monosynaptic and polysynaptic reflexes.

TRH improves long-term neurologic outcome following experimental spinal trauma. Consequently, L-pyro-2-amino adipyl-histidyl-thiazolidine-4-carboxamide and orotyl-L-histidyl-L-prolineamide, synthetic analogs thereof, were studied for such activity in Faden et al., Neurology, Vol. 35, pp. 1331-1334 (1985).

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides a method of treating traumatic central nervous system injury in a patient suffering from brain or spinal cord trauma which comprises administering to said patient an effective amount of a thyrotropin-releasing hormone analog having preservation of carboxy-terminal prolineamide moiety. The TRH analog of the present invention can also be any analog which modifies the pyroglutamyl moiety so as to prevent enzyme degradation or increase CNS potency. Exemplary modifications include replacement of the pyrrolidinone residue with other rings. These new rings preferably contain the moiety O=C-NH-C-.

Fluorinated histidyl analogs are also contemplated by the present invention. Exemplary of such analogs are 2-fluoro and 4-fluoro histidyl TRH analogs. These analogs can be prepared through the fluorination of TRH by conventional techniques.

Iodinated TRH analogs, preferably 2,4-diodo-(Im)-TRH analogs are additionally contemplated in the present invention. Preferably, said thyrotropin-releasing hormone

analog is selected from the group comprising 6-methyl-5-oxo-thiomorpholinyl-3-carbonyl-histidyl-prolineamide, 4-(2-oxo-trimethyleneimine)-carbonyl-histidyl-prolineamide, and 4-(2-oxo-furan)-carbonyl-histidyl-prolineamide.

As an effective amount of the thyrotropin-releasing hormone analog of the present invention there is contemplated an amount of analog substantially higher than that required to induce maximal thyrotropin-releasing hormone activity. An effective amount of the thyrotropin-releasing hormone analog of the present invention is from about 0.2 to about 2 mg/kg body weight of the patient administered 2-4 times during the first 48 hours after trauma, 1-2 times daily thereafter. A preferred embodiment of the present invention involves an effective amount of the hormone analog from about 0.2 to 1 mg/kg body weight of the patient administered within 24 hours of trauma by 2-4 intravenous or intramuscular injections over 24 hours.

The thyrotropin-releasing hormone analog of the present invention may be administered to the patient in any dosage form convenient under the patient's specific circumstances. Usually, parenteral administration is preferred.

As a parenteral dosage form there is contemplated a dosage unit suitable for intravenous administration which comprises (i) an effective amount of a thyrotropin-releasing hormone analog having an unmodified carboxy terminus and (ii) a pharmaceutically acceptable solution.

As a pharmaceutically acceptable solution there is contemplated any solution which is safe for injection and which is biologically inert and hence does not interfere with the active ingredient. As such a pharmaceutically acceptable solution may include an isotonic solution suitable for injection into a patient. The isotonic solution may contain water, salt and conventional ingredients such as glucose.

Such a pharmaceutically acceptable solution may contain purified water admixed with preservatives, flavors, colorants, flavor enhancing agents and other excipients. Exemplary of such additives are sodium benzoate, methyl 5 paraben, propylene glycol, glycerin, sorbitol, alcohol, sucrose, saccharin, menthol and citric acid.

A preferred embodiment of the present invention provides a method of treating traumatic central nervous system injury in a patient suffering from brain or spinal trauma 10 through administration of a thyrotropin-releasing hormone analog which is 6-methyl-5-oxo-thiomorpholinyl-3-carbonyl-histidyl-prolineamide. 6-Methyl-5-oxo-thiomorpholinyl-3-carbonyl-histidyl-prolineamide. 4-(2-Oxo-trimethylenimine)-carbonyl-histidyl-prolineamide may be 15 obtained through Chemie Grünenthal.

Another preferred embodiment of the present invention provides a method of treating traumatic central nervous system injury in a patient suffering from brain or spinal trauma through administration of a thyrotropin-releasing 20 hormone analog which is 4-(2-oxo-trimethylenimide)-carbonyl-histidyl-prolineamide may be obtained through Dow Chemical Company.

A preferred embodiment of the present invention provides a method of treating traumatic central nervous system 25 injury in a patient suffering from brain or spinal trauma through administration of a thyrotropin-releasing hormone analog which is 4-(2-oxo-furan)-carbonyl-histidyl-prolineamide. 4-(2-Oxo-furan)-carbonyl-histidyl-prolineamide may be obtained through Yamanouchi 30 Pharmaceutical Co., Ltd.

An additional embodiment of the present invention provides a method of treating traumatic central nervous system injury in a patient, wherein a thyrotropin-releasing hormone analog is administered in a dosage of from about

0.2 to about 2 mg/kg 2-4 times daily. A more preferred embodiment involves a method, wherein a thyrotropin-releasing hormone analog is administered in a dosage of from about 0.2 to about 1 mg/kg 2 times daily.

5 The following illustrate the invention.

EXAMPLE 1

6-Methyl-5-oxy-thiomorpholinyl-3-carbonyl-histidyl-prolineamide is admixed with 15 cc isotonic solution to obtain a final concentration of active ingredient in the 10 solution of 5 mg/cc.

EXAMPLE 2

4-(2-Oxo-trimethylenimine)-carbonyl-histidyl-prolineamide is admixed with 15 cc isotonic solution to obtain a final concentration of active ingredient in the solution of 10 15 mg/cc.

EXAMPLE 3

4-(2-Oxo-furan)-carbonyl-histidyl-prolineamide is admixed with 12.5 cc isotonic solution to obtain a final concentration of active ingredient in the solution of 7.5 20 mg/cc.

EXAMPLE 4

Induction of tissue protective activity in a patient suffering from traumatic central nervous system injury is accomplished through injection of 10 cc of the 25 pharmaceutical preparation of Example 1 2 times daily for 1 day.

EXAMPLE 5

Induction of tissue protective activity in a patient suffering from traumatic central nervous system injury is 30 accomplished through injection of 15 cc of the pharmaceutical preparation of Example 2 4 times daily for 2 days.

5

EXAMPLE 6

Induction of tissue protective activity in a patient suffering from traumatic central nervous system injury is accomplished through injection of 10 cc of the pharmaceutical preparation of Example 3 2 times daily for 30 days.

WHAT IS CLAIMED IS:

1. A method of treating traumatic central nervous system injury in a patient suffering from brain or spinal cord trauma which comprises administering to said patient an effective amount of a thyrotropin-releasing hormone analog having preservation of the terminal prolineamide moiety.
2. A method of claim 1, wherein said thyrotropin-releasing hormone analog is 6-methyl-5-oxo-thiomorpholinyl-3-carbonyl-histidyl-prolineamide.
- 10 3. A method of claim 1, wherein said thyrotropin-releasing hormone analog is 4-(2-oxo-trimethylenimine)-carbonyl-histidyl-prolineamide.
4. A method of claim 1, wherein said thyrotropin-releasing hormone analog is 4-(2-oxo-furan)-carbonyl-histidyl-prolineamide.
- 15 5. A method of claim 1, wherein said thyrotropin-releasing hormone analog is administered in a dosage of from about 0.2 to about 2 mg/kg 2 times daily.
6. A method of claim 1, wherein said thyrotropin-releasing hormone analog is administered in a dosage of from about 0.2 to about 2 mg/kg 4 times daily.
- 20 7. A method of treating traumatic central nervous system injury in a patient suffering from brain or spinal cord trauma which comprises administering to said patient an effective amount of a thyrotropin-releasing hormone analog having a fluorine or iodine substituted histidyl moiety.
8. A method of claim 7, wherein said thyrotropin-releasing hormone analog is administered in a dosage of from about 0.2 to about 2 mg/kg 2 times daily.
- 30 9. A method of claim 7, wherein said thyrotropin-releasing hormone analog is administered in a dosage of from about 0.2 to about 2 mg/kg 4 times daily.

10. A method of treating traumatic central nervous system injury in a patient suffering from brain or spinal cord trauma which comprises administering to said patient an effective amount of a thyrotropin-releasing hormone analog having a terminal ring containing

O


C-NH-C-.

11. A method of claim 10, wherein said thyrotropin-releasing hormone analog is administered in a dosage of 10 from about 0.2 to about 2 mg/kg 2 times daily.

12. A method of claim 10, wherein said thyrotropin-releasing hormone analog is administered in a dosage of from about 0.2 to about 2 mg/kg 4 times daily.

PATENT COOPERATION TREATY

DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT issued pursuant to PCT Article 17(2)(a)⁽¹⁾

IDENTIFICATION OF THE INTERNATIONAL APPLICATION		APPLICANT'S OR AGENT'S FILE REFERENCE
International Application No. PCT/US 88/01837		International Filing Date 6th June 1988
Receiving Office RO/US		Priority Date Claimed 5th June 1987
<p>Applicant (Name) MEDICIS CORPORATION</p>		
DECLARATION		
<p>This International Searching Authority hereby declares that no international search report will be established on the above-identified international application for the reasons indicated below.⁽¹⁾</p> <p>1. The subject matter of the international application relates to:⁽²⁾</p> <ul style="list-style-type: none"> a. <input type="checkbox"/> scientific theories. b. <input type="checkbox"/> mathematical theories. c. <input type="checkbox"/> plant varieties. d. <input type="checkbox"/> animal varieties. e. <input type="checkbox"/> essentially biological processes for the production of plants and animals, other than microbiological processes and the products of such processes. f. <input type="checkbox"/> schemes, rules or methods of doing business. g. <input type="checkbox"/> schemes, rules or methods of performing purely mental acts. h. <input type="checkbox"/> schemes, rules or methods of playing games. i. <input checked="" type="checkbox"/> methods for treatment of the human body by surgery or therapy. j. <input checked="" type="checkbox"/> methods for treatment of the animal body by surgery or therapy. k. <input type="checkbox"/> diagnostic methods. l. <input type="checkbox"/> mere presentations of information. m. <input type="checkbox"/> computer programs for which this International Searching Authority is not equipped to search prior art. <p>2. The failure of the following parts of the international application to comply with prescribed requirements prevents a meaningful search from being carried out:⁽³⁾</p> <ul style="list-style-type: none"> a. <input type="checkbox"/> the description. b. <input type="checkbox"/> the claims. c. <input type="checkbox"/> the drawings. <p>comment:</p>		
CERTIFICATION		
International Searching Authority ISA / EP	Date of Mailing 09 NOV 1988	Authorized Officer  P.C.G. VAN DER PUTTEN